

[REVIEW] mosShowHead

Last Updated Sunday, 24 December 2006

Last reviewed: 16 December 2005

phpDocumentor

mosShowHead

Assembles the head tags for the document. This function is called by the template to display the head block of the document.

The function sets up the following meta tags:

- description (based on the `$mosConfig_MetaDesc` configuration variable).
- keywords (based on the `$mosConfig_MetaKeys` configuration variable).
- Generator (this displays the product name and copyright information)
- robots (robots are set to index and follow)

The function then displays the head tags, displays a base href tag for search engine friendly operation, displays the live bookmark information for site syndication and displays a link tag to refer to the site icon.

Search Engine Friendly information is enabled and disabled via the `$mosConfig_sef` configuration variable.

Live bookmarks are enabled and disabled via the `live_bookmark` parameter.

The site icon is specified in the `$mosConfig_favicon` configuration variable and should be located in the `<path-to-Joomla>/images` directory. By default this is called 'favicon.ico'.

If the page was requested by a logged in user (`$my->id` is not 0), then code is displayed to include the `/includes/js/joomla javascript.js` file.

Syntax

```
void mosShowHead ( )
```

Defined in

`includes/template.php`

(`includes/frontend.php` prior to Joomla 1.1)

Examples

Example: Display the contents of the page header

```
mosShowHead();
```

might produce:

Joomla Stable Site - Home

Please report any errors on this page to the [Developer Documentation Forum](#).