

## mosHTML::idBox

Last Updated Saturday, 03 September 2005

Last reviewed: Not reviewed

phpDocumentor

mosHTML::idBox

Builds the HTML code for a standard selectable checkbox for use on a database list-select screen.

### Syntax

```
string idBox ( integer $row_index, integer $record_id [, boolean $enable [, string $name ] ] )
```

`$row_index` is the index number of the HTML table row.

`$record_id` is the database record index number.

`$enable` is a flag. If false then the method will return an empty string. This parameter is optional and if omitted will default to false.

`$name` is name of the HTML form field. This parameter is optional and if omitted will default to 'cid'.

**Examples** Example: Display a list of records from a database query with standard selection checkboxes. Note that in this example the table row class is alternated between "row0" and "row1" so as to get the striped effect. Only the id and title fields are shown in this example.

// \$rows returned from a database query.

```
$k = 0;
for ($i=0, $n=count( $rows ); $i < $n; $i++) {
    $row = $rows[$i];
    ?>
    <tr class="<?php echo "row$k"; ?>">
        <td width="20">
            <?php echo mosHTML::idBox( $i, $row->id ); ?>
        </td>
        <td>
            <?php echo $row->title; ?>
        </td>
    </tr>
    <?php
    $k = 1 - $k;
}
```

Please report any errors on this page to the Developer Documentation Forum.